

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8726	250/214.1,208.1,214R.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 08:17
L2	43956	(p-mos\$4 and n-mos\$4) or (pmos\$4 and nmos\$4) or ((p-type and n-type) near MOS\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 09:09
L3	198	L1 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 08:17
L4	3231	327/514;348/302,307-310.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 09:02
L5	166	L2 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 09:02
L6	116	L5 not L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 09:03
L7	802025	control adj2 (signal or line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 09:04
L8	53601	(current and voltage) near source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 09:05

L9	1731943	read or readout or read-out	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 11:22
L10	1200	L2 and L7 and L8 and L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 11:22
L11	274747	(on and off) or on/off	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 11:22
L12	192	(L10 and L11) not (L3 or L6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 11:23
L13	6081	MOS\$4 near3 conductivity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 11:23
L14	30	(L1 or L4) and L13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 11:24
L15	23	L14 not (L3 or L6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 11:24
L16	1	(((p-mos\$4 and n-mos\$4) or (pmos\$4 and nmos\$4) or ((p-type and n-type) near MOS\$4) or (MOS\$4 near3 conductivity)) and (control adj2 (signal or line)) and ((current and voltage) near source) and (read or readout or read-out) and ((on and off) or on/off)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 11:25

L17	11	(((p-mos\$4 and n-mos\$4) or (pmos\$4 and nmos\$4) or ((p-type and n-type) near MOS\$4) or (MOS\$4 near3 conductivity)) and (control adj2 (signal or line)) and ((current and voltage) near source) and (read or read-out or readout)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:55
-----	----	---	---	----	----	------------------